



## INDEX

# Find the details of each product:

### Frontline

1. Serve-over cabinets
2. Hot cabinets
3. Hot Dog counters
4. Cold preparation counters

### Backline

5. Cold counters
6. Neutral counters

### Sales floor

7. Multidecks
8. Impulse coolers
9. Remote

### Cold Storage

10. Upright refrigerators and freezers

### Systems

11. Packs

### Contact us



# Frontline



An attractive and purpose-built store front desk is the heart of a convenience store.

The customer needs to quickly pick the interesting products and proceed smoothly at the frontline counter. On the other side of the line the staff must be able to quickly prepare and serve a variety of different products and several customers at the time.

We at Epta offer a wide range of high-quality serve-overs and counters for a variety of different food products.

You can choose from following pages the best suitable equipment to build your professional and attractive store front counter.

## PAY ATTENTION TO:

- Superior product visibility
- Stable and reliable temperature levels to cope with the most demanding groceries
- Ease of Use and Maintenance
- Effortless usage for both customers and staff
- Top performance in energy efficiency



# 1. Serve-over cabinets






## NORDICLINE FL2 PI AIDA RETRO SERVE-OVERS **PLUG-IN**

Frontline plug-in cabinet series for building attractive customized displays and offering smooth usage for both customers and staff.

### KEY BENEFITS:

- Sustainability with R290 as the refrigerant
- Excellent product temperatures for multiple food categories
- Wide opening with large display area
- Several cabinet models to match any store layout
- Easy front service access that maximizes productivity and minimizes service costs
- Energy efficiency, saving costs and helping to protect the environment

NordicLine FL2 Aida SO-RG	Model	SO-RG 60	SO-RG 90	SO-RG 120
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	-1...+7	-1...+7	-1...+7
Front height	mm	530	530	530
Length	mm	600	900	1200
Height	mm	1340	1340	1300
Depth	mm	755	755	770
Energy Efficiency Class				





**NORDICLINE FL2 AIDA RETRO SERVE-OVERS REMOTE**

Frontline plug-in cabinet series for building an attractive customized displays and offering effortless usage for both customers and staff.

**KEY BENEFITS:**

- Sustainability with CO2 refrigerant
- Excellent product temperatures for multiple food categories
- Wide opening with large display area
- Several cabinet models to match any store layout
- Easy front service access that maximizes productivity and minimizes service costs
- Energy efficiency, saving costs and helping to protect the environment

NordicLine FL2 Aida SO-RG	Model	SO-RG 90	SO-RG 120
Version		remote	remote
Refrigerant		CO <sub>2</sub>	CO <sub>2</sub>
Temperature range	°C	-1...+7	-1...+7
Front height	mm	530	530
Length	mm	900	1200
Height	mm	1340	1300
Depth	mm	755	770
Energy Efficiency Class			



**NORDICLINE FL2 PI AIDA CLASSIC SERVE-OVERS [PLUG-IN](#)**

Frontline plug-in cabinet series for building an attractive customized displays and offering effortless usage for both customers and staff.

**KEY BENEFITS:**

- Sustainability with R290 refrigerant
- Excellent product temperatures for multiple food categories
- Wide opening with large display area
- Several cabinet models to match any store layout
- Easy front service access that maximizes productivity and minimizes service costs
- Energy efficiency, saving costs and helping to protect the environment

NordicLine FL2 Aida SO-CG	Model	SO-CG 60	SO-CG 90	SO-CG 120
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	-1...+7	-1...+7	-1...+7
Front height	mm	530	530	530
Length	mm	600	900	1200
Height	mm	1340	1340	1300
Depth	mm	755	755	770
Energy Efficiency Class				



**NORDICLINE FL2 PI AIDA RETRO BAKE-OFF PLUG-IN**

Frontline plug-in cabinet series for building an attractive customized displays and offering effortless usage for both customers and staff.

**KEY BENEFITS:**

- Sustainability with R290 refrigerant
- Excellent product temperatures for multiple food categories
- Wide opening with large display area
- Several cabinet models to match any store layout
- Easy front service access that maximizes productivity and minimizes service costs
- Energy efficiency, saving costs and helping to protect the environment

NordicLine FL2 Aida BO-RG	Model	BO-RG 60	BO-RG 90
Version		plug-in	plug-in
Refrigerant		R290	R290
Temperature range	°C	-1...+7	-1...+7
Front height	mm	530	530
Length	mm	600	900
Height	mm	1340	1340
Depth	mm	755	755
Energy Efficiency Class			



**NORDICLINE FL2 PI AIDA RETRO SERVE-OVERS AMBIENT**

Frontline plug-in cabinet series for building an attractive customized displays and offering effortless usage for both customers and staff.

**KEY BENEFITS:**

- Wide opening with large display area
- Several cabinet models to match any store layout
- Easy front service access that maximizes productivity and minimizes service costs

NordicLine FL2 Aida SO-RG-Ambient	Model	SO-RG 90	SO-RG 120
Version		plug-in	plug-in
Refrigerant		R290	R290
Temperature range	°C		
Version		ambient	ambient
Length	mm	900	1200
Height	mm	1340	1340
Depth	mm	770	770



**STAGE SERVE-OVER RETAIL PLUG-IN**

Promotional plug-in refrigerated island that offers unprecedented visibility of the products on display.

**KEY BENEFITS:**

- Suited to all sales surfaces
- Ideal for the preservation of fresh and pre-packed products
- Variety of configurations
- Maximum flexibility in positioning the product inside the store

Stage	Model	Serve-over
Version		plug-in
Refrigerant		R290
Temperature range	°C	MT
Version		
Length	mm	1250
Height	mm	1270
Depth	mm	925
Energy Efficiency Class		



**OPERA PLUG-IN SERVE-OVER BLACK**

Frontline serve over cabinet with tilted glass for extra product visibility and increased impulse effect.

**KEY BENEFITS:**

- Sliding doors in the back
- LED lights under shelves
- Adjustable feet
- Front glass can be opened for easier cleaning and maintenance

Opera SO PI Black	Model	600 Tilted Glass	900 Tilted Glass	1200 Tilted Glass	600 Square Glass	900 Square Glass
Version		plug-in	plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290	R290
Temperature range	°C	+2 / +6	+2 / +6	+2 / +6	+2 / +6	+2 / +6
Version		BLACK	BLACK	BLACK	BLACK	BLACK
Length	mm	600	900	1200	600	900
Height	mm	1360	1360	1360	1360	1360
Depth	mm	750	750	750	750	750
Energy Efficiency Class						





**OPERA REMOTE SERVE-OVERS BLACK**

Frontline serve over cabinet with tilted glass for extra product visibility and increased impulse effect.

**KEY BENEFITS:**

- Sliding doors in the back
- LED lights under shelves
- Adjustable feet
- Front glass can be opened for easier cleaning and maintenance

<b>Opera SO TG Black Remote</b>	<b>Model</b>	900	1200
Version		remote	remote
Refrigerant		R448A	R448
Temperature range	°C	0...+4	0...+4
Length	mm	900	1200
Height	mm	1360	1360
Depth	mm	750	750
<b>Energy Efficiency Class</b>			

## 2. Hot cabinets



### NORDICLINE FL2 AIDA HOT HEATED SERVICE

Heated service counter model with base heating resistor and shelf heating lamps for pizza, pies and other warm food and delicacies.

#### KEY BENEFITS:

- Great product visibility with glass shelves having integrated LED lights
- Efficient use of floor space allowing high product promotion even for smallest shop floors

NordicLine FL2 Aida Hot	Model	SO-RG 60 (DK only)	SO-RG 90 (DK only)	SO-CG 90	SO-CG 60
Version		plug-in	plug-in	plug-in	plug-in
Temperature range	°C	+45...+60	+45...+60	+65...+80	+65...+80
Length	mm	600	900	900	600
Height	mm	1340	1340	1340	1340
Depth	mm	750	750	750	750



**OPERA PLUG-IN HOT CABINETS BLACK**

Hot cabinet for display of heated food like Pizza, grilled chicken etc.  
Stainless Steel.

**KEY BENEFITS:**

- Forced air circulation (heating elements)
- Tempered double glass
- Hinged front glass for easy cleaning
- Fluorescent light under each of the 4 shelves
- El. control unit Eliwell Voltage 230V/50Hz

Opera Hot Black	Model	600	900	600	900
		Tilted Glass	Tilted Glass	Square Glass	Square Glass
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant					
Temperature range	°C	+20...+80	+20...+80	+20...+80	+20...+80
Version		BLACK	BLACK	BLACK	BLACK
Length	mm	600	900	600	900
Height	mm	1360	1360	1360	1360
Depth	mm	750	750	750	750



### TRENT HOT DISPLAY CABINETS

Trent is a hot top table display case with a new modern design provides a unique advertising display solution.

#### KEY BENEFITS:

- Rugged and solid construction
- Mechanical thermostat
- Front light bars
- Regulation and set-up of required humidity
- Removable crumb tray to easy of cleaning



Trent Hot	Model	606
Version		plug-in
Refrigerant		
Temperature range	°C	+30...+90
Length	mm	606
Height	mm	420
Depth	mm	428

### 3. Hot Dog counters



#### REMOTE HOT DOG COUNTERS

Hot Dog Counter with 6 cold drawers and drawer for accesories on the right side. Plain top for grill equipment and retro front glass easy to open. Plug in R290.

Hot Dog Counter Square	Model	1200	1600
Version		remote	remote
Refrigerant		CO <sub>2</sub>	CO <sub>2</sub>
Temperature range	°C	0...+4	0...+4
Length	mm	1200	1600
Height	mm	1340	1340
Depth	mm	760	760
Energy Efficiency Class			



**PLUG-IN HOT DOG COUNTERS**

Hot dog counter to serve Hot dogs in front of the customer in the most effective and selling way. In this counter you have refrigerated drawers for products and practical compartments for napkins and sausage paper.

**KEY BENEFITS:**

- Three neutral drawers with 2xGN 1/1 100 and one with 2x GN 1/1 250 for Hot dog bread
- Three cooled drawers with 2x GN 1/1 100, 100, 150 in each drawer
- Front glass to be opened easy for cleaning with LED light in top
- Adjustable feet

Hot Dog Counter	Model	1200	1600	1600
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	0...+4	0...+4	0...+4
Length	mm	1200	1600	1600
Height	mm	1340	1340	1340
Depth	mm	727	763	800
Energy Efficiency Class				



REMOTE HOT DOG COUNTERS

Hot dog counter to serve Hot dogs in front of the customer in the most effective and selling way. In this counter you have solutions for topping and refrigerated drawers for storing products. This Hot dog counter has a topping compartment on top and a refrigerated shelf in front for drinks.

Hot Dog Counter	Model	1200	1600	1600
Version		remote	remote	remote
Refrigerant		CO <sub>2</sub>	CO <sub>2</sub>	CO <sub>2</sub>
Temperature range	°C	0...+4	0...+4	0...+4
Length	mm	1200	1600	1600
Height	mm	1340	1340	1340
Depth	mm	800	800	763
Energy Efficiency Class				

## 4. Cold preparation counters



### COLD PREPARATION PLUG-IN COUNTERS

Prepare hamburgers in front of the customer with this cold prep counter. Plenty of different GN containers for all ingredients. With a glass lid to show your customers all you fresh ingredients.

#### KEY BENEFITS:

- 2xGN1/1 ajustable for several solutions
- Compartment for dressing bottles
- Glass lid and LED lights on glass top
- Adjustable feet
- Two cold drawers with GN 1/1 for product storage

Cold prep without glass top	Model	800	1000	1200
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	0...+4	0...+4/+2...+8	0...+4/+2...+8
Length	mm	800	1000	1200
Height	mm	1345	1340	1340
Depth	mm	762	759	830
Energy Efficiency Class				




### DELIGHT 6 LITE CABINET

The new scooping cabinet where quality meets design.

#### KEY BENEFITS:

- Family Feeling based on key aesthetical elements
- Smooth, clean lines and better product visibility
- More merchandising and flexibility
- Product Customization thanks to advanced system of digital printing
- Maintenance Free thanks to specific plug-in refrigeration system
- Pastry version also available

Delight 6 Lite	Model	6 Lite
Version		plug-in
Refrigerant		R290
Temperature range	°C	-14/-1...-10/+5
Length	mm	1178
Height	mm	1228
Depth	mm	737
Energy Efficiency Class		

# Backline counter



Dishwashing and food preparation cannot take place at the same time, the processes need to be separated or physical separation is required between dishwashing and food prep area.

Adequate facilities are to be provided for the cleaning, disinfecting and storage of working utensils and equipment. These facilities are to be constructed of corrosion resistant materials, be easy to clean and have an adequate supply of hot and cold water.

## Dishwashing

Industrial dishwasher is required at any new construction store and at all cluster A stores with separate dishwashing room. Under counter dishwasher can be installed in smaller locations where there are no dishwashing room. Manual

dishwashing in store is permitted in smaller cluster C stores.

## FOOD PREPARATION AREAS ARE REQUIRED TO HAVE:

- Separate Hand sink.
- Separate Equipment sink (in dishwashing room equipped with hose).
- Separate Production sink if any food delivered is washed (salad, tomato, etc).
- Sufficient stainless-steel shelving for food utensils, containers etc.
- Stainless steel is prerequisite material to be used.
- Food prep counter (stainless-steel surface) installed that allows food to be kept at cold temperatures
- A suitable freezer, refrigerated and room temperature storage for food is required in the food preparation area of back room kitchen.
- Waste bins with covers and foot pedals.

## Cleaning chemicals

Must be kept in designated chemical storage area under the sink or in cleaning room.

Floor drainage must be covered.

Windows in food preparation area should not be possible to open. Always provide appropriate lighting suitable for food premises.



## 5. Cold counters






### COLD REMOTE COUNTER

Stainless steel backline cold counter with 12 or 15 cold drawers and 6 ambient drawers.

#### KEY BENEFITS:

- 2x GN1/2 in each drawer
- Adjustable feet
- Stainless steel

<b>Cold counter Remote</b>	Model	1800	2200	2600
<b>Version</b>		remote	remote	remote
<b>Refrigerant</b>		R448/R449	R448/R449	R448/R449
<b>Temperature range</b>	°C	0...+2	0...+2	0...+2
<b>Length</b>	mm	1800	2200	2600
<b>Height</b>	mm	900	900	900
<b>Depth</b>	mm	700	700	700
<b>Energy Efficiency Class</b>				

## 6. Neutral counters

### NEUTRAL COUNTERS


	Model	Length	Height	Depth
1	Neutral Counter 1000x900x700mm with doors	1000	900	700
2	Merry Chef rack 600 with legs	600	900	700
3	Merry Chef rack 600 with wheels	600	1393	800
4	Bake off rack 900	900	700	700
5	Bake off rack 600 (baking trays 460 x 330)	600	700	700
6	Neutral Counter 900x700x700mm with doors	900	700	700
7	Neutral Counter 800x900x700mm with doors	800	900	700
8	Neutral Counter 700x900x700mm with doors	700	900	700
9	Stainless steel bench with cabinet 700	700	900	700
10	Neutral Counter 600x900x700mm with doors	600	900	700
11	Neutral Counter 1000 with shelves	1000	900	700
12	Stainless steel bench with cabinet 300	300	900	700
13	Toast unit 400 with glass top black,shelf	400	1000	762
14	Neutral Counter 600 w/4 drawers	600	900	700
15	Neutral Counter 1200 w/8 drawers	1200	900	700
16	Neutral Counter 1200 w/4 drawers	1200	900	700
17	Neutral Counter 800x700x700mm with doors	800	700	700
18	Neutral Counter 1200x900x700mm with 3 doors Neutral Counter 1300	1200 1300	900 900	700 700
19	Neutral Counter 700 for dishwasher	700	900	700
20	Neutral Counter 600 for trash trolley	600	900	800
21	Neutral Hot Dog Counter 1200 with sausage boiler + drawer	1200	1365	760
22	Neutral Hot Dog Counter 1200 with 2 drawers	1200	1365	760
23	Neutral Hot Dog Counter 1600 with sausage boiler	1600	1365	760
24	Neutral Hot Dog Counter 1600 with drawer	1600	1365	760
25	Trash Trolley	410	500	360
26	Merrychef rack 1700	700	1700	700

### SINK COUNTERS

	Model	Length	Height	Depth
27	Stainless steel bench with cabinet and centered sink 400	300	900	700
28	Stainless steel backline with 2 sinks and 2 cabinet doors	800	900	700
29	Stainless steel backline with 2 sinks and 2 cabinet doors	1000	900	700
30	Stainless steel bench with cabinet 1600 single sink to the left socket for DM to the right	1600	900	700
31	Stainless steel bench with cabinet 1700 single sink to the left socket for DM to the right	1700	900	700
32	Stainless steel bench with cabinet 1200, single sink to the right socket for DM left splash guard	1200	900	700
33	Stainless steel bench with cabinet 1200, single sink to the left socket for DM right splash guard	1200	900	700
34	Stainless steel bench with cabinet 1400 single sink to the right socket for DM to the left	1400	900	700
35	Stainless steel bench with cabinet 1400 single sink to the left socket for DM to the right	1400	900	700
36	Stainless steel bench with cabinet 1800 double sink and intermediate splash guard on the right socket DM on the left	1800	900	700
37	Stainless steel bench with cabinet 1800 double sink and intermediate splash guard on the left socket DM on the right	1800	900	700

Possibility to have customized products.

BACKLINE | NEUTRAL COUNTERS



BACKLINE | NEUTRAL COUNTERS



27



28



29



30



31



32



33



34



35



36



37

# Sales floor



Low height impulse coolers and freezers are ideal for fast-moving groceries on the convenience store floor area.

The more we create touch points for shoppers the more we increase sales. Several models can be used individually, lined up together, multiplexed or arranged as an island to promote impulse shopping.

#### **PAY ATTENTION TO:**

- Super product visibility and lighting
- Possibility to create more touch points for customers to increase sales
- Integral design to combine refrigerated and ambient units
- Environmentally friendly refrigerant



## 7. Multidecks



### VANILLA PLUG-IN

Vertical plug-in refrigerated cabinet particularly attentive to eco-sustainability and energy saving.

#### KEY BENEFITS:

- Suited to all sales surfaces
- Fits to any store format and concept
- Ideal for the preservation of pre-packed products
- Led lighting under the shelves (option on demand)
- Kit wheels (option on demand)
- Available in 2 depths and 4 lengths
- Ease of maintenance and cleaning

Vanilla	Model	937	1250	1875	2500
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290
Temperature range	°C	MT	MT	MT	MT
Length	mm	1000	1310	1935	2560
Height	mm	2050	2050	2050	2050
Depth	mm	730/870	730/870	730/870	730/870
Energy Efficiency Class					



**TANGO NEXT PLUG-IN**

Vertical plug-in refrigerated cabinet that guarantees outstanding presentation of fresh pre-packed products.

**KEY BENEFITS:**

- Multiplexable
- Elegantly furnishes all stores
- Excellent overview of the products thanks to the frameless doors (option on demand)
- Available in 2 depths and 3 lengths
- Ease of maintenance and cleaning
- Maintenance free condenser

Tango Next	Model	2 Doors	3 Doors	4 Doors
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	MT	MT	MT
Length	mm	1310	1935	2560
Height	mm	2050	2050	2050
Depth	mm	739/880	739/880	739/880
Energy Efficiency Class				



**FUNKY NEXT PLUG-IN**

Vertical plug-in refrigerated cabinet with extremely compact depth and height.

**KEY BENEFITS:**

- Easy to integrate with a store's dry products shelving
- Offers new and interesting possibilities to promote the products
- Available in 2 aesthetic configurations: black or white inside and out
- Ease of installation and maintenance

<b>Funky Next</b>	Model	1250 - 2P
Version		plug-in
Refrigerant		R290
Temperature range	°C	MT
Length	mm	1250
Height	mm	2056
Depth	mm	488

<b>Energy Efficiency Class</b>		
--------------------------------	--	---







**VALZER NEXT PLUG-IN**

Vertical plug-in cabinet that guarantees excellent presentation of frozen products.

**KEY BENEFITS:**

- Multiplexable
- Elegantly furnishes all sales surfaces
- Excellent response to the needs of retailers
- LED lighting system by EPTA
- Easy maintenance

Valzer Next	Model	1 Door	2 Doors	3 Doors	4 Doors
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290
Temperature range	°C	LT	LT	LT	LT
Length	mm	670	1430	2100	2740
Height	mm	2033	2033	2033	2033
Depth	mm	815	815/911	815/911	815/911
Energy Efficiency Class					



**SAMBA PLUG-IN**

Semi-vertical plug-in refrigerated cabinet available with sliding doors and open version powered by propane refrigerant gas (R290), particularly suited for the presentation and preservation of pre-packed meat, delicatessen, dairy products and drinks.

**KEY BENEFITS:**

- Excellent temperature control
- Great transparency of glass surfaces of doors
- Tilttable shelves

<b>Samba</b>	Model	1875	2500
Version		plug-in	plug-in
Refrigerant		R290	R290
Temperature range	°C	MT	MT
Length	mm	1940	2565
Height	mm	1800	1800
Depth	mm	900	900
<b>Energy Efficiency Class</b>			



### NORDICLINE SV8 PI VERSATILE PLUG-IN CABINET SERIES

NordicLine SV8 PI is a versatile plug-in cabinet series that gives customers multiple points of contact improving the sales. NordicLine SV8 PI is a product line especially targeted for check-out area promotions. It offers a great combination of refrigerated cabinets and dry shelves with perfect product visibility units to ensure limitless possibilities for shopfittings.

#### KEY BENEFITS:

- Large and attractive display surface area with wide range of models
- Ergonomic height for more comfortable shopping and for loading the goods
- Designed for all product categories and for seasonal product offerings
- Many flexible setups thank to the combination of refrigerated cabinets and dry shelves
- Uniform design language within the product portfolio
- High quality cooling technology with natural refrigerant R290





**NORDICLINE SV8 PI VERSATILE PLUG-IN CABINET SERIES**

NordicLine SV8 PI	Model	SV8-PI-C	SV8-PI-GD/SGD	SV8-PI-F/FC-GD	SV8-PI-C-45-L/R
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290
Temperature range	°C	3M2	3M0	3L1/3M0	3M0
Length	mm	600, 900	600, 900, 1200	600	1200
Height	mm	1400	1400	1400	1400
Depth	mm	700	700	700	700
Energy Efficiency Class					




### NORDICLINE SV8 PI VERSATILE PLUG-IN CABINET SERIES

#### STANDARD EQUIPMENT:

- Plug-in, automatic defrost water evaporation
- Fan assisted air-circulation
- LED lighting on canopy and shelf 6500K
- End walls panoramic glass
- 40mm price ticket rail
- Two shelves (0-10%)
- Two fixed wheels and two rotated wheels with brake
- Manual night blind
- Double glass doors (GD)
- Triple glass doors (F/FC GD)
- Dixell controller with Modbus-IF
- Solid end walls (F/FC GD)
- Maintenance free condenser
- Inside/outside colour: RAL 9005 black

#### OPTIONAL ACCESSORIES:

- Selection RAL colors
- Additional 3rd row of shelf incl. LED lighting and price ticket rail
- Customized branding
- Dry shelving options
- 2nd back wall
- Adjustable feet





**GLEE 45 LITE FOR FROZEN FOOD**

New design for the vertical plug-in cabinets for ice cream and frozen foods.

**KEY BENEFITS:**

- Elegant and cutting-edge look
- Ideal for all store sizes
- Clean lines and better visibility of the product on display
- Flexibility thanks to a differentiated product range
- Personalization with innovative system of digital print

Glee 45 Lite	Model	45 Lite	45 Prime	55 Lite
Version		plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290
Temperature range	°C	-18...-25	-18...-25	-18...-25
Length	mm	670	670	670
Height	mm	1965	1965	1965
Depth	mm	640,5	640,5	741,5
Energy Efficiency Class				



**GLEE 42 LITE DRINK AND DAIRY**

The positive vertical cabinet that completes the "Cool Emotions" range.

**KEY BENEFITS:**

- Ideal model for pre-packaged products such as beverages
- LED lighting allows focus on the product to stimulate impulse buying
- Combines refrigeration technology solutions with design and attention to detail

Glee 42 Lite	Model	42 Lite	42 Prime	Glass 42	Glass Winery	Mid 22
Version		plug-in	plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290	R290
Temperature range	°C	+0...+7	+0...+7	+0...+7	+0...+7	+0...+7
Length	mm	670	670	670	670	530
Height	mm	1964	1964	1964	1964	1775
Depth	mm	625	625	625	625	641
Energy Efficiency Class						



**GLEE X SLIM NV ICE CREAM AND FROZEN FOOD**

The new ventilated frozen version of this cabinet specifically designed for pre-packaged ice cream.

**KEY BENEFITS:**

- Compact size, yet surprising load capacity
- Excellent solution to optimize smaller spaces
- Ideal for restaurants, bars and ice cream parlors

Glee X Slim	Model	X Slim	X Slim NV
Version		plug-in	plug-in
Refrigerant		R290	R290
Temperature range	°C	-18...-25	-18...-25
Length	mm	380	380
Height	mm	1811	1811
Depth	mm	566	566
Energy Efficiency Class			

## 8. Impulse coolers



### STAGE SERVE-OVER RETAIL PLUG-IN

Promotional plug-in that offers unprecedented visibility of the products on display.

#### KEY BENEFITS:

- Suited to all sales surfaces
- Ideal for the preservation of fresh and pre-packed products
- Variety of configurations
- Maximum flexibility in positioning the product inside the store

Stage	Model	LS	LS Sliding	LS Maxi	Double
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290
Temperature range	°C	MT	MT	MT	MT
Length	mm	925/1250	1250	1250	1250
Height	mm	920/990	990	990	920
Depth	mm	925/1125	925/1125	925/1125	1525
Energy Efficiency Class					



**STAGE SERVE-OVER RETAIL PLUG-IN**

Promotional plug-in that offers unprecedented visibility of the products on display.

**KEY BENEFITS:**

- Suited to all sales surfaces
- Ideal for the preservation of fresh and pre-packed products
- Variety of configurations
- Maximum flexibility in positioning the product inside the store

Stage SV	Model	SV Narrow Sliding 1S	SV Narrow Sliding 2S	SV Large Sliding 2S	SV Narrow Open 1S	SV Narrow Open 2S	SV Large Open 2S
Version		plug-in	plug-in	plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290	R290	R290
Temperature range	°C	MT	MT	MT	MT	MT	MT
Length	mm	1250	1250	1250	1250	1250	1250
Height	mm	1200	1300	1300	1200	1300	1300
Depth	mm	925	925	1125	925	925	1125
Energy Efficiency Class							




### NININ GL IMPULSE COOLER

With easy branding and excellent product visibility Ninin GL is suitable for all seasonal campaigns and promotions..

#### KEY BENEFITS:

- Excellent product visibility
- Great branding possibilities for promotions
- High volume and product capacity
- Solid construction
- Easy to move on castors
- LED lights
- Easy cleaning
- Maintenance-friendly condenser

<b>Ninin GL</b>	Model	GL
Version		plug-in
Refrigerant		R290
Temperature range	°C	-1...+7
Length	mm	730
Height	mm	898
Depth	mm	450
<b>Energy Efficiency Class</b>		




**COUNTER 98 GLASS SILVER IMPULSE COOLER**

The Counter Glass cabinet with one hinged full glass door has static refrigeration. Suitable for beverages and dairy products

**KEY BENEFITS:**

- Automatic defrosting
- Incorporated condensing unit
- LED lights
- Temperature adjustable and can be constantly controlled through a thermostat

Counter 98 Glass	Model	98 Glass
Version		plug-in
Refrigerant		R600A
Temperature range	°C	+0...+7
Length	mm	480
Height	mm	845
Depth	mm	500
Energy Efficiency Class		

## 9. Remote







### NORDICLINE MD5 REMOTE MULTIDECK WITH GLASS DOORS

Space-efficient multideck family that brings together high performance with energy efficiency and delivers improved merchandising options for different store and product types.

#### KEY BENEFITS:

- Patented air curtain for stable temperatures
- Space-efficient and unique bottom evaporator design preventing icing
- Integrated door design for maximum display area
- Easy cleaning with smoother surfaces and removable parts
- Quicker multiplexing than before - saves installation time

NordicLine MD5	Model	MD5 -125-GD	MD5 -188-GD	MD5 -250-GD	MD5 -375-GD
Version		remote	remote	remote	remote
Refrigerant		R744 (CO2), Brine	R744 (CO2), Brine	R744 (CO2), Brine	R744 (CO2), Brine
Temperature range	°C	0...+4	0...+4	0...+4	0...+4
Front height	mm	300	300	300	300
Length	mm	1310	1940	2560	3810
Height	mm	2055	2055	2055	2055
Depth	mm	890	790	890	890
Energy Efficiency Class					



**NORDICLINE MD7 REMOTE**

The robust construction and design make it a long term sales tool for any store format. The multideck technical construction is designed based on feedback from food retailers, with no compromise on requirements for topclass quality and performance.

**KEY BENEFITS:**

- Excellent product visibility
- Modern design for super market and hypermarket store concepts
- Durable construction with high shelf load capacity

NordicLine MD7	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		R744 (CO2), brine	R744 (CO2), brine	R744 (CO2), brine	R744 (CO2), brine
Temperature range	°C	-1...+1,+0...+2 & +2...+4	-1...+1,+0...+2 & +2...+4	-1...+1,+0...+2 & +2...+4	-1...+1,+0...+2 & +2...+4
Length	mm	1250	1880	2500	3750
Height	mm	2055/2255	2055/2255	2055/2255	2055/2255
Depth	mm	990/1190	990/1190	990/1190	990/1190
Energy Efficiency Class					



**GRANBERING REMOTE**

Vertical display tub cabinet with remote unit for frozen products. The exclusive design, the full height doors and the technological solutions adopted offer unprecedented merchandising and product visibility.

**KEY BENEFITS:**

- Great layout flexibility
- Excellent energy performance
- Great product visibility

GranBering	Model	2 Doors	3 Doors	4 Doors	5 Doors
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	LT	LT	LT	LT
Length	mm	1565	2343	3124	3905
Height	mm	2110/2260	2110/2260	2110/2260	2110/2260
Depth	mm	755/905	755/905	755/905	755/905
Energy Efficiency Class					



**GRANVISTA NEXT REMOTE**

Vertical chilled display cabinet with remote unit for fresh pre-packed products. Available in an open version or with full height doors fitted with transparent handles that ensure excellent visibility and preservation of the product on display.

**KEY BENEFITS:**

- Less energy consumption
- Great product visibility
- More merchandising for the same price

<b>GranVista Next</b>	Model	1250	1880	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1880	2500	3750
Height	mm	2110/2260	2110/2260	2110/2260	2110/2260
Depth	mm	750/900/1050	750/900/1050	750/900/1050	750/900/1050
<b>Energy Efficiency Class</b>					



**GRANVISTA SEASON REMOTE**

Vertical open chilled display cabinet with remote unit for the presentation and preservation of fruit, vegetables, plants and flowers.

**KEY BENEFITS:**

- Excellent for themed areas
- Great product visibility

<b>GranVista Season</b>	<b>Model</b>	1250	1880	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1880	2500	3750
Height	mm	2110/2260	2110/2260	2110/2260	2110/2260
Depth	mm	930/1060	930/1060	930/1060	930/1060
<b>Energy Efficiency Class</b>					



**GRANSIBARE REMOTE**

Semivertical open chilled display cabinet with remote unit for fresh pre-packed products.

**KEY BENEFITS:**

- Low energy consumption
- Elegantly furnishing the store
- Great layout flexibility

<b>GranSibare</b>	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1875	2500	3750
Height	mm	1300/1500/1700	1300/1500/1700	1300/1500/1700	1300/1500/1700
Depth	mm	780/930/1080	780/930/1080	780/930/1080	780/930/1080
<b>Energy Efficiency Class</b>					



### GRANVALDAJ REMOTE

Semivertical chilled display cabinet with tilted or sliding doors and remote unit for fresh pre-packed products. It features excellent merchandising, low consumption, and perfect preservation of the product on display.

#### KEY BENEFITS:

- Flexible merchandising
- Low energy consumption
- New loading volume

GranValdaj	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1875	2500	3750
Height	mm	1480/1730	1480/1730	1480/1730	1480/1730
Depth	mm	780/930/1080	780/930/1080	780/930/1080	780/930/1080
Energy Efficiency Class					



**ZENITH VP REMOTE**

Zenith VP is EPTA's first retail refrigerated cabinet to be designed with sustainability and efficiency at its core while maintaining uncompromising standards of aesthetics, quality, and reliability.

**KEY BENEFITS:**

- Excellent energy savings
- Transparent doors and handles that highlight the products on display
- Rapid installation, reduced maintenance costs and an extended lifespan

Zenith VP	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1875	2500	3750
Height	mm	2180/2280	2180/2280	2180/2280	2180/2280
Depth	mm	830/950/1130	830/950/1130	830/950/1130	830/950/1130
Energy Efficiency Class					



**NORDICLINE IS7 REMOTE**

Energy efficiency with excellent product visibility. The new freezer island family, NordiLine IS7, is developed and proven to be the most energy efficient product range on the market.

**KEY BENEFITS:**

- Excellent energy efficiency
- Total display area one of the highest in the market
- High level of prefabrication to minimise on site installation time

<b>NordiLine IS7 200</b>	Model	1875	2500	3750	1980 EOL
Version		remote	remote	remote	remote
Refrigerant		R744 (CO2)	R744 (CO2)	R744 (CO2)	R744 (CO2)
Temperature range	°C	-23...-21	-23...-21	-23...-21	-23...-21
Length	mm	1875	2500	3750	1980
Height	mm	900	900	900	900
Depth	mm	1980	1980	1980	1070
Energy Efficiency Class					



**GRANONTARIO REMOTE**

Horizontal island fridge cabinet and remote unit for frozen products. It is characterised by large glass panels for total visibility of the product on display.

**KEY BENEFITS:**

- High display capacity
- Sustainability performance and energy saving
- Total food visibility

GranOntario L	Model	1885	2500	3750	2030 EOL
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	LT	LT	LT	LT
Length	mm	1885	2500	3750	2030
Height	mm	1000	1000	1000	1000
Depth	mm	2020	2020	2020	1075
Energy Efficiency Class					



**SILK N REMOTE**

Self-service and double well refrigerated cabinet for fresh pre-packed products, with an excellent ratio between display volume and footprint occupied on the ground.

**KEY BENEFITS:**

- Optimisation of floorspace
- Enhanced merchandising
- Improved performance

Silk N	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1875	2500	3750
Height	mm	995	995	995	995
Depth	mm	1890	1890	1890	1890
Energy Efficiency Class					



**VELVET N CONV D REMOTE**

Traditional refrigerated display case designed to quickly transform itself, thanks to the convertible superstructure, from self-service to serve-over to support new merchandising strategies.

**KEY BENEFITS:**

- Ideal for preservation and presentation of fresh products
- Easy cleaning and maintenance
- Great energy efficiency

Velvet N Conv D	Model	937	1250	1875	2500	3750
Version		remote	remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT	MT
Length	mm	937	1250	1875	2500	3750
Height	mm	1170	1170	1170	1170	1170
Depth	mm	1105	1105	1105	1105	1105
Energy Efficiency Class						




**VELVET N CURVE REMOTE**

Serve-over refrigerated display case with curved front able to handle merchandising of the products on display, with an eye-catching display thanks also to the rotating shelf.

**KEY BENEFITS:**

- Ideal for the presentation and preservation of deli products
- Customisable

Velvet N Curve	Model	937
Version		remote
Refrigerant		CO2
Temperature range	°C	MT
Length	mm	937
Height	mm	870/1170
Depth	mm	1330
Energy Efficiency Class		



**VELVET N DESIGN REMOTE**

Traditional refrigerated display case that offers an excellent ratio between occupied surface and display surface; characterised by flexibility, enhanced merchandising and tailored ergonomics.

**KEY BENEFITS:**

- Ideal for the preservation and presentation of fresh loose products
- Modern linear design
- Customisable

Velvet N Design	Model	937	1250	1875	2500	3125	3750
Version		remote	remote	remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT	MT	MT
Length	mm	937	1250	1875	2500	3125	3750
Height	mm	870/1170	870/1170	870/1170	870/1170	870/1170	870/1170
Depth	mm	1105	1105	1105	1105	1105	1105
Energy Efficiency Class							



**VELVET N SV REMOTE**

Semi-vertical refrigerated cabinet designed to complete the lines of traditional Velvet cabinets, or to be placed against the wall or create back-to-back islands.

**KEY BENEFITS:**

- Ideal for the preservation and presentation of fresh pre-packed products
- Available in different configurations
- Easy cleaning and maintenance and energy efficiency

Velvet N SV	Model	1250	1875	2500	3750
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	1250	1875	2500	3750
Height	mm	1300/1500	1300/1500	1300/1500	1300/1500
Depth	mm	1110	1110	1110	1110
Energy Efficiency Class					



**VELVET N TOWER REMOTE**

Serve-over refrigerated tower display cabinet (on more levels) designed to display and preserve fresh non-packed products, able to handle merchandising with an eye-catching display.

**KEY BENEFITS:**

- Particularly suitable for the presentation of fresh meat cuts
- Available in four lengths
- Customisable

Velvet N Tower	Model	937	1250	1875	2500
Version		remote	remote	remote	remote
Refrigerant		CO2	CO2	CO2	CO2
Temperature range	°C	MT	MT	MT	MT
Length	mm	937	1250	1875	2500
Height	mm	1500/1700	1500/1700	1500/1700	1500/1700
Depth	mm	1105	1105	1105	1105
Energy Efficiency Class					

# Cold storage



## 10. Upright refrigerators and freezers







### FOOD STORAGE COOLERS AND FREEZERS

An excellent professional cabinet suited to ice cream and frozen products. Perfect for use in professional kitchens of hotels and restaurants.

#### KEY BENEFITS:

- Completely in stainless steel
- Optimum performance

Upright Refrigerator/Freezer	Model	Stok 701 N	Stok 701 P	Stok 1401 N	Stok 1401 P
Version		plug-in	plug-in	plug-in	plug-in
Refrigerant		R290	R290	R290	R290
Temperature range	°C	-18...-22	-1...+7	-18...-22	-1...+7
Length	mm	700	700	1400	1400
Height	mm	2045	2045	2045	2045
Depth	mm	823	823	823	823
Energy Efficiency Class					

## 11. Packs



### ECO2COMPACTA PACK

ECO2Compacta refrigeration pack is dedicated to small size and proximity stores. The cooling capacity can be adjusted from 15kW to 45kW for medium temperatures and from 0 kW to 9 kW for low temperature applications.

#### KEY BENEFITS:

- Very compact product
- Indoor or outdoor installation
- Low noise level.
- High pressure oil solution from EPTA.
- Easy maintenance concept with one side maintenance access

ECO2Compacta	MT	LT
Cooling capacity min./max. (kW)	15-50	0-18
Compressors	max. 3	max. 2



### ECO2LARGE PACK

ECO<sub>2</sub>Large refrigeration pack is designed for applications in medium to large size stores. The cooling capacity can be adjusted from 80kW to 180kW for medium temperatures and from 12kW to 60 kW for low temperature applications.

#### KEY BENEFITS:

- High level of customization
- Booster LT and MT
- High pressure oil solution from EPTA
- ETE and FTE performing systems available on this platform
- Combined onboard FTE 2.0 system available
- Easy maintenance concept

ECO <sub>2</sub> Large	MT	LT
Cooling capacity min./max. (kW)	80-200	0-60
Compressors	max. 5	max. 3



**ECO2MIDDLE PACK**

ECO<sub>2</sub>Middle refrigeration pack is designed for applications in medium size stores. The cooling capacity can be adjusted from 35kW to 121kW for medium temperatures and from 5,5kW to 52 kW for low temperature applications.

**KEY BENEFITS:**

- Very compact product
- Modular design for manutention and complex installation
- Booster BLTand MT
- High pressure oil solution from EPTA.
- ETE and FTE performing systems available on this platform
- Easy maintenance concept

ECO <sub>2</sub> Middle	MT	LT
Cooling capacity min./max. (kW)	60-150	0-50
Compressors	max. 4	max. 3



**ECO2SMALL PACK**

ECO2Small refrigeration pack is designed for applications in small to medium size stores. The cooling capacity can be adjusted from 35kW to 106kW for medium temperatures and from 5,5kW to 23 kW for low temperature applications.

**KEY BENEFITS:**

- Very compact product
- Modular design for manutention and complex installation
- Booster BLTand MT
- High pressure oil solution from EPTA.
- ETE and FTE performing systems available on this platform
- Easy maintenance concept

ECO2Small	MT	LT
Cooling capacity min./max. (kW)	40-100	0-25
Compressors	max. 3	max. 2

# Contact



## WE PROVIDE HOLISTIC SOLUTION FOR A FUNCTIONAL CONVENIENCE STORE

Our convenience products are developed and tested in today's most advanced convenience market. Our solutions offer the store a complete set up for fast food production and product display.

**Henrik Thomassen**  
Convenience Manager  
henrik.thomassen@epta-denmark.com  
+45 2036 3640

As each store type, concept and market has their own need, the equipment is always chosen individually for each customer. This means that our portfolio keeps growing according to customers needs.

**Anders Olsen**  
Country Sales Manager  
anders.olsen@epta-denmark.com  
+45 2546 6363

Please don't hesitate to contact us for more details, our local sales or

[convenience@eptarefrigeration.com](mailto:convenience@eptarefrigeration.com)

**Morten Sveigaard**  
Sales Manager  
morten.sveigaard@epta-denmark.com  
+45 2027 3743

Visit our websites to see our FULL RANGE of cabinets and find new ideas.



[Costan product catalog](#)



[IARP product catalog](#)

# Service



Epta is a complete system provider supplying turnkey commercial refrigeration solutions. Apart from its range of products, it also offers a variety of after-sales technical assistance services through its specialist brand, EptaService, ensuring customer efficiency and continuity.

A smooth workflow, efficient processes and uninterrupted operations are vital for Retail, Food & Beverage, Ho.Re.Ca. and Industrial businesses that are sure to rely on seamless technical assistance.

EptaService offers expert and proactive support through the innovative LifeCycle Program: competent consulting which embraces a wide range of services,

during the entire lifecycle of products and store. Many strong points for the benefit of the client: adoption of evolved digital technologies focused on maximum connectivity, which results in a greater and more efficient duration of the equipment and a reduction in Total Cost of Ownership.

The LifeCycle Program is available to clients through two complete assistance plans to ensure maximum efficiency, quality, and reliability: Main and Xtend.

**Main – Maintenance and Service Program** is the complete maintenance and service plan for existing systems and equipment

**XTend – Extended Warranty Program** is a premium offer dedicated to new projects which allows to access digital platforms and use of advanced remote diagnostics for all the solutions.

**Epta Service Denmark 24/7**

**Køge**  
+45 5664 6363

**Viborg**  
+45 4566 212



### SWITCHON DIGITAL DIAGNOSTICS

SwitchON is an innovative diagnostic platform which ensures access to remote display refrigerators and refrigeration systems from afar: the system includes advanced functions together with predictive maintenance algorithms, synonymous with security and reliability for Retailers.

As regards refrigeration systems, the platform guarantees remote monitoring of compressors, inverters, oil injection devices, gas coolers and regulating valves. To guarantee ever-efficient operation of the display refrigerators, SwitchON makes available technical information on temperature, humidity and defrosting.

Finally, the platform integrates a monitoring system able to identify in real time any anomalies which are reported by specific alarms on components that require assistance, with an evident reduction of intervention times and related costs. Technicians can rely on a user-friendly guide, which is complete and effective for the rapid restoration of equipment operation

#### KEY BENEFITS:

- Asset overview: type and number of products and stores
- Level of consumption by stores and related CO2 emissions
- Consumption forecast based on weather conditions
- Overview of health status of equipment (alarms and preventive warnings)
- Updated Service agreement information
- HACCP prescriptions compliant

# Concept ideas



## A service dedicated to creating bespoke environments

Driven by passion and creativity, EptaConcept, a service provided by Epta Group, is a unique concept of a multidisciplinary design center specialized in crafting tailored environments, from cabinet customization to complete store concepts.

At the heart of our design philosophy lies a deep commitment to a human-centred approach. We prioritize understanding and finding answers to real people's needs, desires, and behaviors, transforming spaces accordingly. Our Mission is To Transform Spaces Into Experiences, to create concepts that are desirable, viable and feasible by considering the aesthetical factor, efficiency factor and profitability factor.

The EptaConcept team works with our Clients at all design phases, from the needs analysis through to the tailor-made design, from the selection of furnishings to the installation.



[www.epta-centralnortheurope.com](http://www.epta-centralnortheurope.com)